

LIVING FIRE

by SPARTHERM®



FREESTANDING **WOOD BURNING STOVES**

Consumer Price List July 2023

Fire love. For a lifetime.

Contents

							
Front model	Tunnel model	2 Sided model	3 Sided model	Oval model	Round model	H2O stoves	Accessories
page 3	page 3	page 4-5	page 5	page 6-7	page 8-9	page 10	page 11

Welcome to Spartherm

The extremely high German standard of quality has helped Spartherm to evolve into the European market leader in wood-fired, elevating door fires and freestanding wood burning stoves. With more than of 55,000 fires produced each year, you have an extensive choice in several models. The collaboration with the (more than) 265 year old company DRU and your professional dealer ensures a seamless transition and stress-free installation. Spartherm: the unparalleled fire specialist!

Why Spartherm

With the freestanding wood burning stoves of Spartherm you choose top quality and guaranteed pleasure for many years.

Unique properties of wood stoves:

- 'Smart-close' door system for automatic closing and sealing
- Door can be locked open for easy cleaning
- Easy control of combustion with just a single slide
- Extendable and removable ash pan
- Double retardant plate for optimum conduction of flue gases
- Hidden adjustable feet accessible from inside the stove
- High efficiency of up to 80% for almost all models

Chamotte interior



White



Black

Benefits of chamotte:




- Cast chamotte 100% solid
- Chamotte 4 cm thick
- Optimal heat distribution
- No condensation (as opposed to steel)
- High efficiency ensures clean glass

Benefits of the black interior:



- Modern and sleek look
- Striking flame picture thanks to the contrast with the dark background
- Reduces soot visibility

Covering designs and colours

Steel:

	Nero		Pearl		Turquoise
	Titan		Stainless steel		Light grey
	White				

Natural stone:

	Soapstone		Porto blanco
	Sandstone Sahara		

Ceramic:

	Crater
---	--------

RLA (Non-room air sealed operation)

These stoves are always provided with connection for the external combustion air intake, which can be used if required. They are not certified for room air sealed operation (Sealed air intake, exhaust pipe, door).

RLU (Room air sealed operation)

These stoves are certified by the DIBt for room air sealed operation. Sealed air intake, exhaust pipe and special door closure.

Front model 			
	Energy Efficiency Class	Price (€) RRP exc	Price (€) RRP inc
Linear Module XS RLA			
Linear Module XS, white chamotte, nero		2100	2520
Base A for Linear Module XS, nero		230	275
Base B for Linear Module XS, nero		405	485
Base C for Linear Module XS, nero		475	570
Base D for Linear Module XS, nero		550	660
Linear Module M RLA			
Linear Module M, white chamotte, nero		3375	4050
Base A for Linear Module M, nero		313	375
Base B for Linear Module M, nero		459	550
Base C for Linear Module M, nero		555	665
a7 RLA			
a7, white or black chamotte, nero or titan		3867	4640
a7, white or black chamotte, pearl or white		4005	4805
a7, white or black chamotte, porto blanco		4442	5330
a7, white or black chamotte, soapstone		4596	5515
Tunnel model 			
a8 RLA			
a8, white or black chamotte, nero or titan		4263	5115
a8, white or black chamotte, pearl or white		4425	5310
a8, white or black chamotte, porto blanco or soapstone		4721	5665

¹⁾ Optional (only in combination with the stove), surcharge

 Energy efficiency class

	Energy Efficiency Class	Price (€) RRP exc	Price (€) RRP inc
2 Sided model 			
Lungo 2L/2R RLA			
Lungo 2L/2R, white or black chamotte, nero or titan	A+	5009	6010
Lungo 2L/2R, white or black chamotte, pearl or white	A+	5134	6160
Lungo 2L/2R, white or black chamotte, ceramic crater	A+	7505	9005
Handle standard or stainless steel Lungo 2L/2R, angular		109	130
Handle standard Lungo 2L/2R, angular		109	130
Heat storage top Lungo 2L/2R		484	580
S-Thermatik NEO, automatic control ¹⁾		1350	1620
Piko S steel RLA			
Piko S steel, white or black chamotte, nero or titan	A+	4130	4955
Piko S steel, white or black chamotte, pearl or white	A+	4263	5115
Piko S steel, white or black chamotte, turquoise or light grey	A+	4396	5275
Handle stainless steel Cubo S/L + Piko S/L, angular		109	130
S-Thermatik NEO, automatic control ¹⁾		1350	1620
Piko S RLA/RLU			
Piko S, white or black chamotte, nero or titan	A+	3563	4275
Piko S, white or black chamotte, pearl or white	A+	3705	4445
Handle stainless steel Cubo S/L + Piko S/L, angular		109	130
S-Thermatik NEO, automatic control ¹⁾		1350	1620
Piko L RLA/RLU			
Piko L, white or black chamotte, nero or titan	A+	4280	5135
Piko L, white or black chamotte, pearl or white	A+	4417	5300
Handle stainless steel Cubo S/L + Piko S/L, angular		109	130
Heat storage top Cubo L + Piko L		380	455
S-Thermatik NEO, automatic control ¹⁾		1350	1620
Cubo S RLA/RLU			
Cubo S, white or black chamotte, nero or titan	A+	3788	4545
Cubo S, white or black chamotte, pearl or white	A+	3921	4705
Handle standard Cubo S/L + Piko S/L, round, black		109	130
S-Thermatik NEO, automatic control ¹⁾		1350	1620

	Energy Efficiency Class	Price (£) RRP exc	Price (£) RRP inc
Cubo L RLA/RLU			
Cubo L, white or black chamotte, nero or titan	A+	4534	5440
Cubo L, white or black chamotte, pearl or white	A+	4659	5590
Handle stainless steel Cubo S/L + Piko S/L, angular		109	130
Heat storage top Cubo L + Piko L		380	455
S-Thermatik NEO, automatic control ¹⁾		1350	1620
Cubo L Style RLA/RLU			
Cubo L Style, white or black chamotte, nero or titan	A+	4738	5685
Cubo L Style, white or black chamotte, pearl or white	A+	4884	5860
Handle stainless steel Cubo S/L + Piko S/L, angular		109	130
Heat storage top Cubo L + Piko L		380	455
S-Thermatik NEO, automatic control ¹⁾		1350	1620

3 Sided model 			
Saphir RLU			
Saphir, black chamotte, nero or titan	A+	7575	9090
Saphir, black chamotte, pearl or white	A+	7684	9220
Saphir, black chamotte, special colour (on demand)	A+	7800	9360
S-Thermatik NEO, automatic control ¹⁾		1350	1620
Trico S RLU			
Trico S, black chamotte, nero or titan	A+	4059	4870
Trico S, black chamotte, pearl or white	A+	4163	4995
Trico S, black chamotte, special colour (on demand)	A+	4280	5135
S-Thermatik NEO, automatic control ¹⁾		1350	1620
Trico L RLU			
Trico L, black chamotte, nero or titan	A+	4659	5590
Trico L, black chamotte, pearl or white	A+	4775	5730
Trico L, black chamotte, special colour (on demand)	A+	4884	5860
S-Thermatik NEO, automatic control ¹⁾		1350	1620

¹⁾ Optional (only in combination with the stove), surcharge

 Energy efficiency class

	Energy Efficiency Class	Price (€) RRP exc	Price (€) RRP inc
Oval model 			
Senso S RLA			
Senso S, white or black chamotte, nero, front nero or titan	A+	3780	4535
Senso S, white or black chamotte, titan, front titan or pearl	A+	3780	4535
Senso S, white or black chamotte, nero, front pearl	A+	3842	4610
Senso S, white or black chamotte, pearl, front nero	A+	3842	4610
Senso S, white or black chamotte, pearl, front pearl	A+	3905	4685
Senso S, white or black chamotte, white, front white	A+	3905	4685
Senso S, white or black chamotte, soapstone, front nero or titan	A+	4425	5310
Senso S, white or black chamotte, sandstone Sahara, front nero	A+	4505	5405
Handle stainless steel Senso S, round		109	130
S-Thermatik NEO, automatic control ¹⁾		1350	1620
Senso L RLA/RLU			
Senso L, white or black chamotte, nero or titan, front nero or titan	A	4217	5060
Senso L, white or black chamotte, nero, front pearl	A	4263	5115
Senso L, white or black chamotte, pearl, front nero	A	4263	5115
Senso L, white or black chamotte, pearl, front pearl	A	4346	5215
Senso L, white or black chamotte, white, front white	A	4346	5215
Senso L, white or black chamotte, stainless steel, front nero	A	4425	5310
Senso L, white or black chamotte, soapstone, front nero or titan	A	5163	6195
Handle stainless steel Senso M H20/L/L klassik/L fashion + Sino L/City, round		109	130
Rotary table Senso L 20/50 / Sino L 20 (RLA)		546	655
Heat storage top Senso L		338	405
S-Thermatik NEO, automatic control ¹⁾		1350	1620

Oval model 			
Senso L klassik RLA/RLU			
Senso L klassik, white or black chamotte, porto blanco, front nero		5313	6375
Handle stainless steel Senso M H20/L/L klassik/L fashion + Sino L/City, round		109	130
S-Thermatik NEO, automatic control ¹⁾		1350	1620
Senso L fashion RLA/RLU			
Senso L fashion, white or black chamotte, ceramic concrete, nero		4892	5870
Handle stainless steel Senso M H20/L/L klassik/L fashion + Sino L/City, round		109	130
S-Thermatik NEO, automatic control ¹⁾		1350	1620
Sino L RLA/RLU			
Sino L, white or black chamotte, soapstone, front nero or titan		4325	5190
Sino L, white or black chamotte, sandstone Sahara, front nero		4471	5365
Handle stainless steel Senso M H20/L/L klassik/L fashion + Sino L/City, round		109	130
Rotary table Senso L 20/50 / Sino L 20 (RLA)		546	655
S-Thermatik NEO, automatic control ¹⁾		1350	1620
Sino City RLA/RLU			
Sino City, white or black chamotte, porto blanco, front nero		4.380	5255
Sino City, white or black chamotte, soapstone, front nero		4380	5255
Sino City, white or black chamotte, sandstone Sahara, front nero		4505	5405
Handle stainless steel Senso M H20/L/L klassik/L fashion + Sino L/City, round		109	130
S-Thermatik NEO, automatic control ¹⁾		1350	1620
Moro RLA/RLU			
Moro, white or black chamotte, soapstone, nero		5117	6140
Moro, white or black chamotte, sandstone Sahara, nero		5430	6515
Handle stainless steel Moro, round		92	110
Cladding for wood compartment Moro, sandstone Sahara		221	265
Cladding for wood compartment Moro, soapstone		184	220
S-Thermatik NEO, automatic control ¹⁾		1350	1620

¹⁾ Optional (only in combination with the stove), surcharge

 Energy efficiency class

	Energy Efficiency Class	Price (£) RRP exc	Price (£) RRP inc
Round model 			
a3 RLA/RLU			
a3, white or black chamotte, nero or titan	A+	4909	5890
a3, white or black chamotte, pearl or white	A+	5063	6075
Heat storage top/back a3		259	310
Rotary table a3 (RLA) ¹⁾		546	655
S-Thermatik NEO, automatic control ¹⁾		1350	1620
a4 RLA/RLU			
a4, white or black chamotte, nero or titan	A+	5375	6450
a4, white or black chamotte, pearl or white	A+	5521	6625
Handle stainless steel a4/a4 H2O, round		96	115
Heat storage back a4		559	670
Heat storage top a4		559	670
Rotary table a4 (RLA) ¹⁾		546	655
S-Thermatik NEO, automatic control ¹⁾		1350	1620
Passo XS RLA/RLU			
Passo XS, white or black chamotte, nero or titan	A+	3880	4655
Passo XS, white or black chamotte, nero or titan, rotating	A+	4421	5305
Passo XS, white or black chamotte, pearl or white	A+	4021	4825
Passo XS, white or black chamotte, pearl or white, rotating	A+	4563	5475
Handle stainless steel Passo XS/XS Style/XS Tripod, round		109	130
Handle wood Passo XS/XS Style, round		105	125
Rotary table Passo XS (RLA) ¹⁾		546	655
S-Thermatik NEO, automatic control ¹⁾		1350	1620
Passo XS Style RLA/RLU			
Passo XS Style, white or black chamotte, nero or titan	A+	4388	5265
Passo XS Style, white or black chamotte, pearl or white	A+	4505	5405
Passo XS Style, white or black chamotte, turquoise or light grey	A+	4634	5560
Handle stainless steel Passo XS/XS Style/XS Tripod, round		109	130
Handle wood Passo XS/XS Style, round		105	125
S-Thermatik NEO, automatic control ¹⁾		1350	1620

	Energy Efficiency Class	Price (€) RRP exc	Price (€) RRP inc
Round model 			
Passo XS Tripod RLA/RLU			
Passo XS Tripod, white or black chamotte, nero or titan		4892	5870
Passo XS Tripod, white or black chamotte, pearl or white		5009	6010
Passo XS Tripod, white or black chamotte, turquoise or light grey		5134	6160
Handle stainless steel Passo XS/XS Style/XS Tripod, round		109	130
S-Thermatik NEO, automatic control ¹⁾		1350	1620
Passo S RLA/RLU			
Passo S, white or black chamotte, nero or titan		4992	5990
Passo S, white or black chamotte, pearl or white		5117	6140
Handle stainless steel Passo S/L, round		109	130
Rotary table Passo S (RLA) ¹⁾		546	655
S-Thermatik NEO, automatic control ¹⁾		1350	1620
Passo S RLA DEFRA			
Passo S, white or black chamotte, nero or titan, DEFRA		4992	5990
Passo S, white or black chamotte, pearl or white, DEFRA		5117	6140
Handle stainless steel Passo S/L, round		109	130
Rotary table Passo S (RLA) ¹⁾		546	655
S-Thermatik NEO, automatic control ¹⁾		1350	1620
Passo L RLA/RLU			
Passo L, white or black chamotte chamotte, nero or titan		5117	6140
Passo L, white or black chamotte chamotte, pearl or white		5250	6300
Handle stainless steel Passo S/L, round		109	130
Heat storage top Passo L		409	490
Rotary table Passo L (RLA) ¹⁾		546	655
S-Thermatik NEO, automatic control ¹⁾		1350	1620
Passo L RLA DEFRA			
Passo L, white or black chamotte chamotte, nero or titan, DEFRA		5117	6140
Passo L, white or black chamotte chamotte, pearl or white, DEFRA		5250	6300
Handle stainless steel Passo S/L, round		109	130
Heat storage top Passo L		409	490
Rotary table Passo L (RLA) ¹⁾		546	655
S-Thermatik NEO, automatic control ¹⁾		1350	1620

¹⁾ Optional (only in combination with the stove), surcharge

 Energy efficiency class

	Energy Efficiency Class	Price (£) RRP exc	Price (£) RRP inc
H2O stoves			
Piko H20, RLA			
Piko H20, white or black chamotte chamotte, nero or titan	A+	5796	6955
Piko H20, white or black chamotte chamotte, pearl or white	A+	5913	7095
Piko H20, black chamotte, nero, S-Thermatik NEO black	A+	7142	8570
Connection kit for Piko H20		292	350
S-Thermatik NEO, automatic control ¹⁾		1350	1620
Mounting template for Piko H20 (included)			
Senso M H20 RLA			
Senso M H20, white or black chamotte, nero or titan, front nero or titan	A+	5934	7120
Senso M H20, white or black chamotte, nero, front pearl	A+	5996	7195
Senso M H20, white or black chamotte, pearl, front nero	A+	5996	7195
Senso M H20, white or black chamotte, pearl, front pearl	A+	6084	7300
Senso M H20, white or black chamotte, white, front white	A+	6084	7300
Senso M H20, white or black chamotte, stainless steel, front nero	A+	6084	7300
Senso M H20, white or black chamotte, soapstone, front nero or titan	A+	6984	8380
Senso M H20, black chamotte, nero, front nero, S-Thermatik NEO black	A+	7280	8735
Connection kit for Senso M H20		292	350
Handle stainless steel Senso M H20/L/L klassik/L fashion + Sino L/City, round		109	130
S-Thermatik NEO, automatic control ¹⁾		1350	1620
Mounting template for Senso M H20 (included)			
a4 H20, RLA/RLU			
a4 H20, white or black chamotte, nero or titan	A+	6417	7700
a4 H20, white or black chamotte, pearl or white	A+	6563	7875
a4 H20, black chamotte, nero, S-Thermatik NEO black	A+	7763	9315
Handle stainless steel a4/a4 H20, round		96	115
Connection kit for a4 H20		292	350
S-Thermatik NEO, automatic control ¹⁾		1350	1620
Mounting template for a4 H20 (included)			

Price (€) RRP exc

Price (€) RRP inc

Price (€) RRP exc

Price (€) RRP inc

Accessories

Accessoires for S-Thematik NEO

Sensor water/air for S-Thematik NEO	42	50
-------------------------------------	----	----

S-USI differential pressure meter

S-USI II freestanding fires	1055	1265
Cover for S-USI II housing nero, including support plate	88	105
Cover for S-USI II housing pearl, including support plate	88	105
Cover for S-USI II housing titan, including support plate	88	105
Support plate complete for S-USI II housing	46	55
S-USI II installation in factory adjusted	117	140

Installation material for H2O

Pump unit ESBE LTC341 60°C	642	770
----------------------------	-----	-----

Floor plates

Floor plate glass Ø 90 cm	159	190
---------------------------	-----	-----

Flue material Ø 150 mm

Bend Ø150 45°, pearl	80	95
Bend Ø150 45°, titan	75	90
Bend Ø150 45°, nero	75	90
Bend Ø150 90°, adjustable, pearl	125	150
Bend Ø150 90°, adjustable, titan	121	145
Bend Ø150 90°, adjustable, nero	121	145
Flue pipe Ø150 250mm, pearl	67	80
Flue pipe Ø150 250mm, titan	63	75
Flue pipe Ø150 250mm, nero	63	75
Flue pipe Ø150 500mm, pearl	88	105
Flue pipe Ø150 500mm, titan	80	95
Flue pipe Ø150 500mm, nero	80	95
Flue pipe Ø150 1000mm, pearl	125	150
Flue pipe Ø150 1000mm, titan	117	140
Flue pipe Ø150 1000mm, nero	117	140
Flue spigot Ø150	59	70
Rosette Ø150, pearl	67	80
Rosette Ø150, titan	59	70
Rosette Ø150, black	59	70

All Spartherm freestanding wood stoves are supplied with glove and glass cleaner.

LIVING FIRE

by SPARTHERM®



Drugasar Ltd.
Deans Road | Swinton
Manchester | M27 0JH
United Kingdom
T. +44 (0)161 - 793 8700
www.drufire.co.uk

All mentioned prices are recommended consumer prices in £, valid in United Kingdom from the 1st of July 2023 to the 30 of June 2024, subject to changes. With this edition, all previous price lists expire.



www.drufire.com



BY APPOINTMENT OF THE COURT
OF THE NETHERLANDS

since
1754



Art.993372 | 2023-07

DRU: Member of the Spartherm-Group

SOCIAL MEDIA: For more inspiration and information, visit one of our social media channels SPARTHERM CONSULT or scan the QR code: Y 2023

